

SCHOOL DISTRICT	1954	1955	SCHOOL DISTRICT	1954	1955
1 FD-3	34.409	47.770	27 FD-1	40.639	42.880
1 FD-3 NWS	42.409	55.770	27 FD-4	39.979	41.190
1A FD-3	43.909	44.510	27 FD-5	40.729	42.110
1A FD-3 NWS	51.909	52.510	B27	55.229	56.440
1A FD-3 NWS US	45.409	46.010	B27 GI #1	65.229	61.440
T1A FD-1 B&I		42.560	B27 GI #2		66.440
5	23.259	23.640	A28	47.859	47.460
12 FD-1	41.419	45.330	29	44.109	37.340
12 FD-3	42.909	45.340	BEN 29	55.059	47.170
12 FD-3 NWS			30	25.259	28.340
12 FD-3 NWS US	44.409	46.840	31	36.609	35.340
12 FD-1 B&I		43.490	31 STEG S		40.340
14 FD-1	39.019	45.120	32	31.759	32.140
14 FD-4	38.359	43.430	37	23.659	24.140
14 FD-4 SAS	47.959	48.975	50 FD-2 REC	53.179	47.363
14C FD-4	36.709	41.780	50 FD-2 BM REC	69.679	63.863
CT 14 FD-4	43.359	48.430	50 FD-3 REC	54.829	48.740
CT 14 FD-4 SAS	52.959	53.975	50A FD-2 REC	32.259	39.813
T14 FD-1 B&I		43.180	50A FD-3 REC	33.909	41.190
15	21.859	24.040	FH50 REC	65.099	60.188
22	27.309	32.640	W50 REC	62.179	56.540
22 FD-5	28.559	34.060	W50 FD-2 REC	63.179	57.363
17	25.859	37.530	W50 GI REC	72.179	70.080
17 FD-5	27.109	38.950	55	30.859	35.040
23	28.859	27.640	62	28.929	35.890
24	32.259	33.890			
24 ALT S	42.259	43.890			
26	26.759	24.640			
27	39.479	40.690			

	SCHOOL DISTRICT	1956	1957	SCHOOL DISTRICT	1956	1957
1	FD-3	45.510	49.290	27 FD-1	40.630	42.930
1	FD-3 NWS	53.510	57.290	27 FD-4	39.240	41.750
1A	FD-3	41.640	47.850	B27	54.190	53.700
1A	FD-3 NWS	49.640	55.850	B27 GI #1	58.190	57.700
1A	FD-3 NWS US	41.640	47.850	B27 GI #2	62.190	59.700
T	1A		54.500	A28	49.130	52.510
5		26.700	29.710	29	35.920	38.510
12	FD-1	43.090	43.390	BEN 29	45.720	48.510
12	FD-3	43.200	45.060	30	26.400	34.410
12	FD-3 NWS	51.200	53.060	31	33.400	34.610
T	12 <i>Ed B&I</i>	<i>47.64</i>	51.710	31 STBG S	38.400	39.610
14	FD-1	48.600	49.920	32	27.700	32.210
14	FD-4	47.210	48.740	37	21.700	25.710
14	FD-4 SAS	56.320	59.710	50 FD-2 REC	51.850	52.860
CT	14 FD-4	51.710	53.240	50 FD-2 BM REC	66.850	65.860
CT	14 FD-4 SAS	60.820	64.210	50 FD-3 REC	53.050	55.410
T	14 FD-1 B&I		61.570	50A FD-2 REC	45.850	47.860
15		24.500	31.210	FH50 REC	72.770	73.134
17		29.700	34.710	W50 REC	63.050	64.060
24		31.400	31.910	W50 GI REC	76.590	84.060
24	ALT S	41.400	41.910	#50 FD-2 REC	63.850	64.860
26		21.700	32.710	55	29.700	29.710
27		38.740	41.250	62	31.550	31.710

1959 LEVIES

<u>SCHOOL DISTRICT</u>	<u>1958</u>	<u>1959</u>	<u>SCHOOL DISTRICT</u>	<u>1958</u>	<u>1959</u>
1 FD-3-----	49.47	57.80	B 27 GI #2-----	63.85	68.09
1 FD-3 NWS-----	64.201	72.53	A 28-----	54.94	59.66
1A FD-3-----	48.41	57.10	A 28B ALT S-----	63.38	59.10
1A FD-3 BM-----		70.10	29A-----	40.61	43.46
1A FD-3 NWS-----	63.141	71.83	29B-----		38.96
T 1A-----	60.91	69.60	BEN 29A SAN-----	50.61	58.46
T 1B-----	63.69	72.48	31A-----	37.11	43.86
12 FD-1-----	49.88	58.15	31A STBG S-----	42.11	51.86
12 FD-3 NWS-----	64.541	72.99	31B-----		38.86
T 12-----	62.31	70.76	32-----	44.81	39.26
14 FD-4-----	58.81	59.76	50 FD-2 REC-----	58.11	59.56
14 FD-4 SAS-----	68.08	68.13	50 FD-2 BM REC-----	71.11	72.56
CT 14 FD-4-----	63.31	64.26	50 FD-3 REC-----	59.31	60.76
CT 14 FD-4 SAS-----	72.58	72.63	50 FD-3 BM REC-----		73.76
24-----	34.31	35.96	50A FD-2 REC-----	53.38	57.17
24 ALT S-----	44.31	36.96	FH 50 REC-----	68.16	74.32
26-----	33.76	41.26	W 50 REC-----	71.31	72.76
27-----	45.35	50.09	W 50 GI REC-----	89.31	91.26
27 FD-4-----	45.85	50.59	W 50 FD-2 REC-----	72.11	73.56
B 27-----	57.85	64.09	W 50 FD-2 BM REC (WATER ONLY)	80.06	86.56
B 27 GI #1-----	61.85	68.09	62-----	34.81	34.26

CORPS AND MISCELLANEOUS - 1959

(FIRE DISTRICT, SANITATION AND RECREATION DISTRICTS NOT INCLUDED)

SCHOOL DISTRICT	1958	1959	SCHOOL DISTRICT	1958	1959
1-----	47.47	55.80	B27-----	57.85	64.09
1A-----	46.41	55.10	28-----	42.44	47.16
1B-----	49.19	57.98	A28-----	54.94	59.66
11A-----	60.91	69.60	A28B-----	53.38	58.10
11B-----	63.69	72.48	29A-----	40.61	43.46
12-----	47.81	56.26	29B-----		38.96
112-----	62.31	70.76	BEN 29A-----	50.61	53.46
14-----	58.31	59.26	31A-----	37.11	43.86
14C-----	57.21	58.16	31B-----		38.86
CT 14-----	62.81	63.76	32-----	44.81	39.26
15-----	35.81	45.26	37-----	27.81	34.76
22-----	33.81	37.76	50-----	54.81	56.26
23-----	34.81	47.26	FH 50-----	65.66	71.82
24-----	34.31	35.96	W50-----	68.81	70.26
26-----	33.76	41.26	50A-----	50.08	53.87
27-----	45.35	50.09	62-----	34.81	34.26
27B-----		44.26			

AURORA-----	12.50	12.50	STBG. SAN-----	5.00	8.00
BENNETT-----	10.00	10.00	F.D. 1-----	2.07	1.89
BRIGHTON-----	12.50	14.00	F.D. 2-----	.80	.80
COMMERCE TOWN-----	4.50	4.50	F.D. 3-----	2.00	2.00
FEDERAL HGTS-----	10.85	15.56	F.D. 4-----	.50	.50
THORNTON-----	14.50	14.50	F.D. 5-----	1.52	1.62
WESTMINSTER-----	14.00	14.00	BRIGHTON G.I. #1-----	4.00	4.00
ALTURA SAN-----	10.00	11.00	BRIGHTON G.I. #2-----	6.00	4.00
BAKER SAN-----	13.00	13.00	WESTMINSTER G.I.-----	18.00	18.50
BENNETT SAN-----		5.00	FRED. ANIMAL-----	23.00	23.00
HAZELTINE SAN-----	22.00	21.00	MOFFAT TUNNEL-----	.50	.40
NO. LINCOLN SAN-----	18.00	18.00	DISTRICT 50 REC-----	2.50	2.50
NO. WASHINGTON SAN-----	14.731	14.73			
SO. ADAMS SAN-----	9.27	8.37	- WATER 2.53	1.75	- SEWER 6.74
					6.62