

1960 LEVIES

SCHOOL DISTRICT	1959	1960	SCHOOL DISTRICT	1959	1960
1 FD-3 -----	57.80	58.40	B 27 GI #2-----	68.09	68.60
1 FD-3 NWS-----	72.53	73.13	A 28-----	59.66	61.87
1A FD-3 -----	57.10	57.73	A 28B ALT S-----	59.10	59.37
1A FD-3 BM-----	70.10	68.73	29A-----	43.46	44.37
1A FD-3 NWS-----	71.83	72.46	29B-----	38.96	39.87
T 1A-----	69.60	70.36	BEN 29A SAN-----	58.46	59.37
T 1B-----	72.48	73.89	31A-----	43.86	44.67
12 FD-1-----	58.15	58.40	31A STBG S-----	51.86	54.67
12 FD-1 NG REC-----	60.40	60.20	31B-----	38.86	40.47
12 FD-3 NWS-----	72.99	73.37	32-----	39.26	39.07
T 12-----	70.76	71.27	50 FD-2 REC-----	59.56	59.62
14 FD-4-----	59.76	59.27	50 FD-2 BM REC-----	72.56	70.62
14 FD-4 SAS-----	68.13	67.49	50 FD-3 REC-----	60.76	60.89
CT 14 FD-4 -----	64.26	63.77	50 FD-3 BM REC-----	73.76	71.89
CT 14 FD-4 SAS-----	72.63	71.99	50A FD-2 REC-----	57.17	57.23
24-----	35.96	38.97	FH 50 REC-----	74.32	69.86
24 SWD-----	48.97	42.99XX	W 50 REC-----	72.76	73.57
24 ALT S SWD-----	36.96	49.97	W 50 GI REC-----	91.26	91.07
27-----	50.09	49.60	W 50 FD-2 REC-----	73.56	74.17
27 FD-4-----	50.59	50.10	W 50 FD-2 BM REC-----	80.06	79.17
B 27-----	64.09	64.60	62-----	34.26	34.77
B 27 GI #1-----	68.09	68.60			

CORPS AND MISCELLANEOUS - 1960

(FIRE DISTRICT, SANITATION AND RECREATION DISTRICTS NOT INCLUDED)

SCHOOL DISTRICT	1959	1960	SCHOOL DISTRICT	1959	1960
1-----	55.80	56.53	28B-----	-----	43.87
1A-----	55.10	55.86	28C-----	-----	39.37
1B-----	57.98	59.39	28D-----	-----	43.37
RE 3 J-----	48.27	-----	A28-----	-----	59.66 61.87
T1A-----	69.60	70.36	A28B-----	-----	58.10 58.37
T1B-----	72.48	73.89	29A-----	-----	43.46 44.37
12-----	56.26	56.77	29B-----	-----	38.96 39.87
T12-----	70.76	71.27	BEN 29A-----	-----	53.46 54.37
14-----	59.26	58.77	31A-----	-----	43.86 44.67
14C-----	58.16	58.37	31B-----	-----	38.86 40.47
CT 14-----	63.76	63.27	32-----	-----	39.26 39.07
24-----	35.96	38.97	50-----	-----	56.26 55.77
26-----	41.26	40.77	-50 FDI-----	-----	53.87 53.38
27-----	50.09	49.60	50A-----	-----	42.27
27B-----	44.26	43.77	50J-----	-----	71.82 66.61
B27-----	64.09	64.60	FH50-----	-----	70.26 70.32
28-----	47.16	47.36	W50-----	-----	34.26 34.77
ARVADA-----	12.00	-----	SO. ADAMS SAN-----	-----	8.37 8.22
AURORA-----	12.50	14.50	Water Only-----	-----	1.75 2.62
BENNETT-----	10.00	10.00	Sewer Only-----	-----	6.62 5.60
BRIGHTON-----	14.00	15.00	STBG. SAN-----	-----	8.00 10.00
COMMERCE TOWN-----	4.50	4.50	F. D. 1-----	-----	1.89 1.63
FEDERAL HEIGHTS-----	15.56	10.84	F. D. 2-----	-----	1.80 .60
THORNTON-----	14.50	14.50	F. D. 3-----	-----	2.00 1.87
WESTMINSTER-----	14.00	14.55	F. D. 4-----	-----	.50 .50
ALTURA SAN-----	1.00	1.00	F. D. 5-----	-----	1.62 1.62
BAKER SAN-----	13.00	11.00	BRIGHTON G.I. #1-----	-----	4.00 4.00
Water Only-----	-----	6.00	BRIGHTON G.I. #2-----	-----	4.00 4.00
Sewer Only-----	-----	5.00	WESTMINSTER G.I.-----	-----	18.50 17.50
BENNETT SAN-----	5.00	5.00	NORTH GLENN REC-----	-----	2.00 2.00
HAZELTINE SAN-----	21.00	17.00	DISTRICT 50 REC-----	-----	2.50 3.25
NO. LINCOLN SAN-----	18.00	16.00	PRED. ANIMAL-----	-----	23.00 23.00
NO. WASHINGTON SAN-----	14.73	14.73	MOFFAT TUNNEL-----	-----	.40 .40
SABLE WATER-----	-----	10.00	-----	-----	-----

1961 LEVIES

SCHOOL DISTRICT	1960	1961	SCHOOL DISTRICT	1960	1961
1 FD-3-----	58.40	60.03	28E SWD (01d 24)----	48.97	55.55
1 FD-3 NWS-----	73.13	74.76	28F (01d 62)-----	34.77	47.85
1A FD-3-----	57.73	59.36	A28-----	61.87	65.35
1A FD-3 BM-----	68.73	65.36	A28B (ALT.S.)-----	59.37	61.55
1A FD-3 NWS-----	72.46	74.09	29A-----	44.37	47.70
T 1A-----	70.36	71.99	29B-----	39.87	42.40
T 1B-----	73.89	73.22	BEN 29A SAN-----	59.37	62.70
12 FD-1-----	58.40	60.85	31A-----	44.67	47.60
12 FD-1 NG REC-----	60.40	62.85	31A STBGS.-----	54.67	58.60
12 FD-3 NWS-----	73.37	75.00	31B-----	40.47	42.80
T 12-----	71.27	72.90	32-----	39.07	43.30
14 FD-4-----	59.27	64.90	50 FD-2 REC-----	59.62	60.45
14 FD-4 SAS-----	67.49	71.83	50 FD-2 BM REC-----	70.62	66.45
CT 14 FD-4-----	63.77	69.40	50 FD-2 REC BWS-----	59.62	64.45
CT 14 FD-4 SAS-----	71.99	76.33	50 FD-3 REC-----	60.89	61.52
27-----	49.60	54.40	50 FD-3 BM REC-----	71.89	67.52
B27-----	64.60	69.40	50AFD-2 REC BWS-----	57.23	62.70
B27 GI #1-----	68.60	74.40	W50 REC-----	73.57	74.15
B27 GI #2-----	68.60	75.40	W50 FD-2 REC-----	74.17	74.95
28E (01d 24)-----	38.97	43.55	W50 FD-2 BM REC----- (Sewer Only)	79.17	75.95

MISCELLANEOUS LEVIES--1961

1 (SAS B&I ONLY) NWS-----	75.29	27B-----	50.30
1 (SAS B&I WATER ONLY)-----	58.16	27B FD-5-----	51.93
1 FD-1-----	60.56	28-----	50.85
1 FD-2-----	60.61	28-----	47.05
1 FD-2 BM-----	58.96	28B-----	42.85
1 FD-2 BWS-----	64.96	28C-----	45.10
1 FD-3 NL-----	62.96	28D-----	43.55
1 FD-3 (SAS B&I WATER ONLY)-----	76.03	28E-----	47.85
1 FD-3 (SAS B&I) NWS-----	62.43	28F (ALT S)-----	59.85
1 NWS-----	77.16	28F SWD-----	59.85
1A-----	57.49	A28B-----	61.55
1A FD-1-----	59.94	A28E-----	58.05
1B-----	58.72	A28E SWD-----	70.05
1B FD-1-----	61.17	29A SAN-----	52.70
T1A FD-1-----	74.44	BEN 29A-----	57.70
T1B FD-1-----	75.67	31B FD-5-----	44.43
RE 3-----	46.86	50-----	56.40
RE 3 FD-5-----	48.49	50BM-----	62.40
12 FD-1 NWS-----	58.40	50 BWS-----	60.40
12 FD-2-----	75.58	50 REC-----	59.65
12 NG REC-----	59.20	50 FD-1-----	58.85
12 FD-3-----	60.40	50 FD-1 REC-----	62.10
FH 12 (SAN)-----	71.30	50 FD-2-----	57.20
FH 12 FD-1 (SAN)-----	73.75	50 FD-2 BM-----	63.20
FH 12 FD-2 (SAN)-----	72.10	50 FD-2 BWS-----	61.20
W 12-----	72.90	50 FD-2 REC NL-----	76.45
W 12 FD-2-----	73.70	50 FD-3-----	58.27
14-----	64.40	50A-----	54.65
14 SWD-----	76.40	50A REC-----	57.90
14 FD-1-----	66.85	50A FD-2-----	55.45
14 FD-3-----	66.27	50A FD-2 BWS-----	59.45
14 FD-4 (SAS B&I WATER ONLY)-----	67.30	50A FD-2 REC NL-----	58.70
14C-----	63.54	50A FD-2 REC-----	74.70
14C FD-4-----	64.04	50A FD-3-----	56.52
14C FD-4 HW-----	80.04	50A FD-3 REC NWS-----	59.77
CT14-----	68.90	50A FD-3 BWS-----	74.50
CT14 FD-4 (SAS B&I WATER)-----	71.80	50J-----	60.52
26-----	45.40	50J-----	47.90
27 FD-1-----	56.85	FH50 (SAN)-----	69.30
27 FD-4-----	54.90	FH50 REC (SAN)-----	72.55
27 FW-----	70.40	W50-----	70.90
27 FD-4 HW-----	76.90	W50 G.I. REC-----	90.65
27 FD-5-----	56.03	W50 FD-1-----	73.35
		W50 FD-1 REC-----	76.60
		W50 FD-2-----	71.70

NOTE: NO LEVY FOR FH 50 SAN OR ALT. SAN FOR 1961

1962 LEVEES

SCHOOL DISTRICT 1961 1962 SCHOOL DISTRICT

	1961	1962	1961	1962
1 FD-3	60.03	63.35	28E-----	43.55 49.97
1 FD-3 NWS-----	74.76	75.01	28E SWD-----	55.55 61.97
1A FD-3	59.36	62.95	28 E-----	47.85 53.47
1A FD-3 BM-----	65.36	68.95	A 28-----	65.35 71.97
1A FD-3 NWS-----	74.09	74.61	A 28B-----	61.55 67.97
T 1A	71.99	76.58	29A-----	47.70 51.57
T 1A FD-1	74.44	78.58	29B-----	42.40 45.77
T 1A FD-1 BEI-----	77.02	BEN 29A SAN-----	62.70	66.07
T 1B	73.22	78.94	31A-----	47.60 47.17
RE-3 FD-5-----	48.49	57.55	31A STBG S-----	58.60 58.17
12 FD-1 NG REC-----	60.85	63.07	31B-----	42.80 44.27
12 FD-1 NG REC-----	62.85	66.22	31B FD-5-----	44.43 46.41
12 FD-2	59.20	62.07	32-----	43.30 49.57
12 FD-3	60.27	62.94	50 FD-2 REC-----	60.45 65.55
12 FD-3 NWS-----	75.00	74.60	50 FD-2 BM REC-----	66.45 71.55
FH 12 FD-2 SAN-----	72.10	69.15	50 FD-2 REC BWS-----	64.45 69.55
T 12	72.90	76.57	50 FD-3 REC-----	61.52 66.42
14 FD-4	64.90	74.22	50 FD-3 BM REC-----	67.52 72.42
CC 14 FD-4	69.40	78.72	ARV 50 FD-2 REC-----	72.45 79.05
CC 14 FD-4 SAS-----	71.83	81.11	FH 50 REC San-----	72.55 71.63
26-----	76.33	85.61	W50 REC-----	74.15 79.05
27 FD-1-----	56.85	60.07	W50 GI REC-----	90.65 91.85
27 FD-4-----	54.90	58.57	W50 FD-2 REC-----	74.95 80.05
27 FD-6-----	54.40	59.32	W50 FD-2 BM REC-----	75.95 81.05 (SEWER ONLY)
B 27-----	69.40	73.07	50 J-----	47.90 54.57
B 27 GI #1-----	74.40	78.07		
B 27 GI #2-----	75.40	79.07		

MISCELLANEOUS LEVIES--1962

1	(SAS B&I WATER ONLY)	61.48	27B	54.47
1	(SAS B&I WATER ONLY) NWS	64.78	27B FD-5	56.61
1	FD-1	76.44		
1	FD-2	63.48	2B	57.47
1	FD-2 BM	62.48	2B	53.47
1	FD-2 BWS	68.48	28C	49.47
1	FD-3 NL	66.48	28D	49.47
1	FD-3 (SAS B&I WATER ONLY)	79.35	28F SWD	65.47
1	FD-3 (SAS B&I WATER ONLY)NWS	66.65		
1A	NWS	78.31	A28E	64.47
1A		73.14	A28E SWD	76.47
1A	FD-1	61.08	29A SAN	56.57
1A		63.08	BEN 29A	61.07
1B				
1B	FD-1	63.44	50	61.30
1B		65.44	50 BM	67.30
RE-3		55.41	50 BWS	65.30
12			50 REC	64.55
12	NG REC	61.07	50 FD-1 REC	63.30
12	FD-1 NWS	64.22	50 FD-2 REC	66.55
FH12	SAN	74.73	50 FD-2 BM	62.30
FH12	FD-1 SAN	68.15	50 FD-2 BWS	68.30
W12		70.15	50 FD-2 REC NL	66.30
W12	FD-2	75.57	50 FD-3 REC	81.55
W12		76.57	50A	63.17
14			50A REC	59.62
14	SWD	73.72	50A FD-2	62.87
14	FD-1	85.72	50A FD-2 BWS	60.62
14	FD-3	75.72	50A FD-2 REC	64.62
14	FD-4 (SAS B&I WATER ONLY)	75.59	50A FD-2 REC NL	63.87
14C		77.52	50A FD-3 BWS	79.87
14C	FD-4	72.01	50A FD-3 REC	61.49
14C	FD-4 HW	72.51	50A FD-3 REC NWS	65.49
14C		92.41	ARV 50	74.80
CC14			FH50 SAN	68.38
CC14	FD-4 (SAS B&I WATER ONLY)	78.22	W50	75.80
27		82.02	W50 FD-1	77.80
27	FD-5	58.07	W50 FD-1 REC	81.05
27	HW	60.21	W50 FD-2	76.80
27	FD-4 HW	77.97		
		78.47		

1963 LEVY DISTRICTS

005	1 SAS BEI WATER-----	63.61	B 27 GI #2-----	81.50
010	1 SAS BEI WATER NWS-----	66.43	327 28 HD-----	63.07
015	1 FD2-----	77.05	330 28C HD-----	54.60
020	1 FD2 BM-----	65.11	332 28C HD-----	55.07
025	1 FD2 BWS-----	71.11	335 28D HD-----	54.60
030	1 FD3-----	69.11	337 28D HD-----	55.07
035	1 FD3 NL-----	66.48	340 28E HD-----	55.07
037	1 FD3 NWS-----	82.48	345 28F SWD HD-----	67.07
040	1 FD3 SAS BEI WATER-----	77.10	350 28F SWD HD-----	56.57
045	1 FD3 SAS BEI WATER NWS-----	69.30	355 28F SWD HD-----	68.57
055	1 FD3 SAS BEI WATER NWS-----	79.92	360 A 28 HD-----	75.57
060	1 NWS-----	74.23	365 A 28B HD-----	71.07
065	1A-----	63.21	370 A 28E HD-----	67.57
070	1A FD1-----	65.21	375 A 28E SWD HD-----	79.57
075	1A FD3-----	66.08	377 29A-----	51.10
080	1A FD3 BM-----	72.08	380 29A FD7-----	53.10
085	1A FD3 NWS-----	76.70	385 29A SAN FD7-----	58.10
090	1B FD1-----	67.55	390 29B FD7-----	47.30
095	T 1A-----	78.71	393 29B FD7 HD-----	47.77
100	T 1A FD1-----	80.71	394 BEN 29A FD7-----	62.60
105	T 1A FD1 BEI-----	78.94	395 BEN 29A SAN FD7-----	67.60
110	T 1B-----	81.05	400 31A FD8-----	54.17
115	T 1B FD1-----	83.05	405 31A STBG S FD8-----	65.17
120	RE3-----	57.82	410 31B-----	47.60
125	RE3 FD7-----	57.73	415 31B FD5-----	49.69
130	12-----	61.60	420 31B FD7-----	49.60
135	12 FD1-----	63.60	425 31B FD8-----	49.60
140	12 FD1 NG REC-----	67.60	430 32-----	44.50
145	12 FD1 NWS-----	74.22	435 32 FD8-----	46.50
150	12 FD2-----	63.10	440 50-----	62.56
155	12 FD3-----	64.47	445 50 FD1 REC-----	64.56
160	12 FD3 NWS-----	75.09	450 50 FD1 REC-----	67.81
165	FH 12 FD1-----	77.81	455 50 FD2 BM-----	64.06
170	FH 12 FD2-----	77.31	457 50 FD2 N GATE W-----	74.06
175	FH 12 FD2 SAN-----	77.31	460 50 FD2 BM-----	70.06
180	T 12-----	77.10	462 50 FD2 BM N GATE W-----	80.06
185	W 12-----	76.10	465 50 FD2 BWS-----	68.06
190	W 12 FD2 BEI-----	76.29	470 50 FD2 REC-----	67.31
195	14-----	73.52	475 50 FD2 BM REC-----	73.31
200	14 FD1-----	75.52	480 50 FD2 REC BWS-----	71.31
205	14 FD3-----	76.39	485 50 FD2 REC NL-----	83.31
210	14 FD4-----	74.02	487 50 FD3 REC-----	65.43
215	14 FD4 SAS-----	78.96	490 50 FD3 REC-----	68.68
220	14 FD4 SAS BEI WATER-----	76.84	495 50 FD3 BM REC-----	74.68
222	14 HD-----	73.99	500 50A FD2-----	64.06
225	14 SWD-----	85.52	505 50A FD2 REC-----	67.31
227	14 SWD HD-----	85.99	510 50A FD2 BWS-----	68.06
230	14C-----	71.91	515 50A FD2 REC BWS-----	71.31
235	14C FD4-----	72.41	520 50A FD2 NL REC-----	83.31
240	14C FD4 HW-----	91.41	523 50A FD2 REC BWS NL-----	87.31
245	CC 14 FD4-----	78.52	525 50A FD3-----	65.43
250	CC 14 FD4 SAS-----	83.46	530 50A FD3 REC-----	68.68
255	CC 14 FD4 SAS BEI WATER-----	81.34	535 ARV 50 FD2 REC-----	80.31
260	26-----	46.60	540 ARV 50 FD2 REC BWS-----	84.31
265	27-----	60.50	545 FH 50 FD1-----	78.77
270	27 FD1-----	62.50	550 FH 50 REC SAN-----	80.02
275	27 FD4-----	61.00	552 W 50-----	77.06
280	27 FD4 HW-----	80.00	555 W 50 REC-----	80.31
285	27 FD5-----	62.59	560 W 50 GI REC-----	92.59
290	27 FD6-----	61.75	565 W 50 FD1 REC-----	82.31
295	27 FD6 HAS-----	61.75	567 W 50 FD2 BEI-----	77.25
300	27 FD7-----	62.50	570 W 50 REC FD2 BEI-----	80.50
305	27B-----	56.90	575 W 50 BM SEWER REC FD2BEI	81.50
310	27B FD5-----	58.99	580 50J-----	59.20
315	B 27-----	75.50	NOFFAT TUNNEL-----	40
320	B 27 GI #1-----	80.50	PREDATORY ANIMAL-----	20.00
			MISCELLANEOUS-----	-----
			CAPITATIONS-----	605

1964 LEVY DISTRICTS

005 1-----	67.25	151 12 FD-2 50 REC-----	71.86	310 27B FD-5-----	62.15	*445 50 FD-1-----	69.88
*006 1 NP-----	69.25	155 12 FD-3-----	69.87	315 B 27-----	79.83	*450 50 FD-1 REC-----	73.13
010 1 SAS B&I WATER-----	69.13	160 12 FD-3 NWS-----	79.70	320 B 27 GI #1-----	85.83	455 50 FD-2-----	69.56
015 1 SAS B&I WATER NWS-----	78.96	*165 FH 12 FD-1-----	83.22	325 B 27 GI #2-----	85.83	457 50 FD-2 N GATE W-----	79.56
020 1 FD-2-----	68.93	*166 FH 12 FD-1 50 REC-----	86.47	*327 28 HD-----	69.25	460 50 FD-2 BM-----	75.56
021 1 FD-2 NP-----	70.93	*170 FH 12 FD-2-----	82.90	330 28C-----	61.23	462 50 FD-2 BM N GATE W-----	85.56
025 1 FD-2 BM-----	74.93	*171 FH 12 FD-2 50 REC-----	86.15	332 28C HD-----	61.25	465 50 FD-2 BWS-----	73.56
030 1 FD-2 BWS-----	72.93	*175 FH 12 FD-2 SAN-----	82.90	335 28D-----	61.23	470 50 FD-2 REC-----	72.81
035 1 FD-3-----	70.19	176 FH 12 FD-2 SAN 50 REC-----	86.15	337 28D HD-----	61.25	475 50 FD-2 BM REC-----	78.81
037 1 FD-3 NL-----	79.19	180 T 12-----	82.43	340 28E HD-----	61.75	480 50 FD-2 REC BWS-----	76.81
038 1 FD-3 NP-----	72.19	181 T 12 FD-1-----	84.43	345 28E SWD HD-----	73.75	*481 50 FD-2 REC BWS NL-----	85.81
040 1 FD-3 NWS-----	80.02	*185 W 12-----	81.43	350 28F HD-----	67.25	485 50 FD-2 REC NL-----	81.81
045 1 FD-3 SAS B&I WATER-----	72.07	*190 W 12 FD-2 B&I-----	81.6026	355 28F SWD HD-----	79.25	486 50 FD-2 REC NP-----	74.81
055 1 FD3 SAS B&I WATER NWS-----	81.90	*195 14-----	75.43	360 A28 HD-----	79.75	487 50 FD-3-----	70.82
060 1 NWS-----	77.08	200 14 FD-1-----	77.43	365 A28B HD-----	75.75	488 50 FD-3 NP-----	72.82
065 1A-----	66.91	*201 14 FD-1 CAS-----	77.43	370 A28E HD-----	72.25	490 50 FD-3 REC-----	74.07
070 1A FD-1-----	68.91	205 14 FD-3-----	78.37	*375 A28E SWD HD-----	84.25	491 50 FD-3 REC NP-----	76.07
075 1A FD-3-----	69.85	210 14 FD-4-----	76.43	*377 29A-----	51.66	495 50 FD-3 BM REC-----	80.07
080 1A FD-3 BM-----	75.85	215 14 FD-4 SAS-----	80.17	*379 29A SAN-----	56.66	*496 50 FD-3 BM REC NP-----	82.07
081 1A FD-3 NP-----	71.85	220 14 FD-4 SAS B&I WATER-----	78.31	380 29A FD-7-----	53.66	*533 ARV 50 FD-2-----	82.56
085 1A FD-3 NWS-----	79.68	222 14 HD-----	75.45	385 29A SAN FD-7-----	58.66	-535 ARV 50 FD-2 REC-----	85.81
*087 1B-----	69.45	*225 14 SWD-----	87.43	*387 29B-----	46.36	540 ARV 50 FD-2 REC BWS-----	89.81
090 1B FD-1-----	71.45	227 14 SWD HD-----	87.45	390 29B FD-7-----	48.36	*544 FH 50-----	82.17
095 T 1A-----	82.41	230 14C-----	73.82	*391 29B HD-----	46.38	*545 FH 50 FD-1-----	84.17
100 T 1A FD-1-----	84.41	235 14C FD-4-----	74.82	393 29B FD-7 HD-----	48.38	*547 FH 50 SAN-----	82.17
105 T 1A FD-1 B&I-----	82.555	240 14C FD-4 HW-----	94.42	*394 BEN 29A FD-7-----	63.16	550 FH 50 REC SAN-----	85.42
106 T 1A FD-3-----	85.35	245 CC 14 FD-4-----	80.93	395 BEN 29A SAN FD-7-----	68.16	*552 W 50-----	82.38
110 T 1B-----	84.95	250 CC 14 FD-4 SAS-----	84.67	*397 BEN 29A SAN-----	66.16	555 W 50 REC-----	85.63
115 T 1B FD-1-----	86.95	255 CC14 FD4 SAS B&I WATER-----	82.81	*399 31A-----	51.73	560 W50 GI REC-----	98.13
*117 RE3-----	60.44	260 26-----	47.43	400 31A FD-8-----	53.73	565 W 50 FD-1 REC-----	87.63
-120 RE3 FD-5-----	61.36	265 27-----	64.83	*403 31A STBG S-----	62.73	*567 W 50 FD-2 B&I-----	82.5526
125 RE3 FD-7-----	62.44	270 27 FD-1-----	66.83	405 31A STBG S FD-8-----	64.73	570 W 50 REC FD-2 B&I-----	85.8026
*130 12-----	66.93	*273 27 HW-----	84.43	410 31B-----	47.03	575 W50 BM SEWER REC FD2B&I-----	86.8026
-135 12 FD-1-----	68.93	275 27 FD-4-----	65.83	415 31B FD-5-----	47.95	580 50J-----	60.43
136 12 FD-1 50 REC-----	72.18	280 27 FD-4 HW-----	85.43	420 31B FD-7-----	49.03	600 MISCELLANEOUS-----	
137 12 FD-1 CAS-----	68.93	285 27 FD-5-----	65.75	425 31B FD-8-----	49.03	605 CORPORATIONS-----	
140 12 FD-1 NG REC-----	72.93	290 27 FD-6-----	66.08	430 32-----	44.83	MOFFAT TUNNEL-----	.40
*143 12 NWS-----	76.76	295 27 FD-6 HAS-----	66.08	435 32 FD-8-----	46.83	PREDATORY ANIMAL-----	20.00
145 12 FD-1 NWS-----	78.76	300 27 FD-7-----	66.83	440 50-----	67.88		
*150 12 FD-2-----	68.61	305 27B-----	61.23	*441 50 REC-----	71.13		

* FILED IN MISCELLANEOUS

1965 LEVY DISTRICTS

005	1	69.88	155	12 FD3	75.51	295	27 FD6 HAS	66.33	*441	50 REC	76.23
*006	1 NP	79.88	160	12 FD3 NWS	85.29	300	27 FD7	66.08	*445	50 FD1	74.23
010	1 SAS B&I WATER	71.39	*165	FH 12 FDI	88.97	305	27B	61.48	*450	50 FDI REC	78.23
015	1 SAS B&I WATER NWS	81.17	*166	FH 12 FD1 50 REC	92.97	310	27B FD5	62.73	455	50 FD2	73.93
020	1 FD2	71.58	*170	FH 12 FD2	88.67	315	B 27	80.08	457	50 FD2 N GATE W	88.79
021	1 FD2 NP	81.58	*171	FH 12 FD2 50 REC	92.67	320	B 27 GI #1	86.58	460	50 FD2 BM	79.93
025	1 FD2 BM	77.58	*175	FH 12 FD2 SAN	88.67	325	B 27 GI #2	86.08	462	50 FD2 BM N GATE W	94.79
030	1 FD2 BWS	75.58	176	FH 12 FD2 SAN 50 REC	92.67	*327	28 HD	67.30	465	50 FD2 BWS	77.93
035	1 FD3	72.71	*179	T12 FD2	89.66	330	28C	59.28	470	50 FD2 REC	77.93
037	1 FD3 NL	81.71	180	T12	87.96	332	28C HD	59.30	475	50 FD2 BM REC	83.93
038	1 FD3 NP	82.71	181	T12 FDI	89.96	335	28D	59.28	480	50 FD2 REC BWS	81.93
40	1 FD3 NWS	82.49	182	T12 FDI 50 REC	93.96	337	28D HD	59.30	481	50 FD2 REC BWS NL	90.93
.5	1 FD3 SAS B&I WATER	74.22	183	T12 FDI NG REC	93.96	340	28E HD	59.80	485	50 FD2 REC NL	86.93
055	1 FD3 SAS B&I WATER NWS	84.00	184	T12 FD2 50 REC	93.66	345	28E SWD HD	71.80	486	50 FD2 REC NP	87.93
060	1 NWS	79.66	*185	W 12	87.18	350	28F HD	65.30	487	50 FD3	75.06
065	1A	69.96	*186	W 12 FD2	88.88	355	28F SWD HD	77.30	488	50 FD3 NP	85.06
070	1A FDI	71.96	*190	W 12 FD2 B&I	87.37	360	A28 HD	77.80	490	50 FD3 REC	79.06
075	1A FD3	72.79	195	14	79.29	365	A28B HD	73.80	491	50 FD3 REC NP	89.06
080	1A FD3 BM	78.79	200	14 FD1	81.29	370	A28E HD	70.30	495	50 FD3 BM REC	85.06
081	1A FD3 NP	82.79	*201	14 FD1 CAS	81.29	*375	A28E SWD HD	82.30	*496	50 FD3 BM REC NP	95.06
085	1A FD3 NWS	82.57	205	14 FD3	82.12	*377	29A	51.98	*533	ARV 50 FD2	86.93
*087	1B	73.17	210	14 FD4	80.29	*379	29A SAN	56.98	*534	ARV 50 FD2 BWS	90.93
090	1B FDI	75.17	215	14 FD4 SAS	83.79	380	29A FD7	52.98	535	ARV 50 FD2 REC	90.93
095	T 1A	85.24	220	14 FD4 SAS B&I WATER	81.80	385	29A SAN FD7	57.98	540	ARV 50 FD2 REC BWS	94.93
100	T 1A FDI	87.24	222	14 HD	79.31	*387	29B	46.68	*544	FH 50	86.52
105	T 1A FD1 B&I	85.37	*225	14 SWD	91.29	390	29B FD7	47.68	*545	FH 50 FDI	88.52
106	T 1A FD3	88.07	227	14 SWD HD	91.31	*391	29B HD	46.70	*547	FH 50 SAN	86.52
110	T 1B	88.45	230	14C	77.68	393	29B FD7 HD	47.70	550	FH 50 REC SAN	90.52
115	T 1B FD1	90.45	235	14C FD4	78.68	*394	BEN 29A FD7	62.48	*552	W50	86.73
117	RE3	59.05	240	14C FD4 HW	96.68	395	BEN 29A SAN FD7	67.48	555	W50 REC	90.73
120	RE3 FD5	60.30	*244	CC14	83.79	*397	BEN 29A SAN	66.48	560	W50 GI REC	101.43
125	RE3 FD7	60.05	245	CC14 FD4	84.79	*399	31A	53.18	565	W50 FD1 REC	92.73
*130	12	72.68	250	CC14 FD4 SAS	88.29	400	31A FD8	54.93	*567	W50 FD2 B&I	86.92
135	12 FD1	74.68	255	CC14 FD4 SASB&I WATER	86.30	*403	31A STBG S	64.18	570	W50 REC FD2 B&I	90.92
136	12 FD1 50 REC	78.68	260	26	51.08	405	31A STBG S FD8	65.93	*571	W50 BM SEWER FD2B&I	87.92
137	12 FD1 CAS	74.68	265	27	65.08	410	31B	49.48	575	W50 BM SEWER REC FD2B&I	91.92
140	12 FD1 NG REC	78.68	270	27 FD1	67.08	415	31B FD5	50.73	580	RE50	62.18
*143	12 NWS	82.46	*273	27 HW	83.08	420	31B FD7	50.48	600	MISCELLANEOUS	
145	12 FD1 NWS	84.46	275	27 FD4	66.08	425	31B FD8	51.23	605	CORPORATIONS	
146	12 FD1 WWS	74.68	280	27 FD4 HW	84.08	430	32	45.58		MOFFAT TUNNEL	
*150	12 FD2	74.38	285	27 FD5	66.33	435	32 FD8	47.33		PREDATORY ANIMAL	.40
151	12 FD2 50 REC	78.38	290	27 FD6	66.33	*440	50	72.23			20.00

1967 LEVY DISTRICTS

*005 1-----	79.90
*006 1 NP-----	89.90
*010 1 SAS B&I WATER-----	81.00
*015 1 SAS B&I WATER NWS-----	90.28
*020 1 FD2-----	81.55
*021 1 FD2 NP-----	91.55
025 1 FD2 BM-----	87.55
*030 1 FD2 BWS-----	85.55
035 1 FD3-----	84.73
037 1 FD3 NL-----	93.73
038 1 FD3 NP-----	94.73
040 1 FD3 NWS-----	94.01
*045 1 FD3 SAS B&I WATER-----	85.83
055 1 FD3 SAS B&I WATER NWS-----	95.11
*060 1 NWS-----	89.18
*065 1A-----	79.72
*070 1A FD1-----	83.06
075 1A FD3-----	84.55
080 1A FD3 BM-----	90.55
081 1A FD3 NP-----	94.55
*082 1A FD3 NP BM-----	100.55
085 1A FD3 NWS-----	93.83
*087 1B-----	83.21
090 1B FD1-----	86.55
095 T 1A-----	94.70
*100 T 1A FD1-----	98.04
105 T 1A FD1 B&I-----	95.11
*106 T 1A FD3-----	99.53
110 T 1B-----	98.19
115 T 1B FD1-----	101.53
116 T 1B FD1 B&I-----	98.60
*117 RE3 AC-----	62.70
120 RE3 FD5 AC-----	63.95
125 RE3 FD7 AC-----	64.70
*130 12-----	84.67
135 12 FD1-----	88.01
136 12 FD1 50 REC-----	92.01
137 12 FD1 CAS-----	88.01
138 12 FD1 EWS-----	93.01
140 12 FD1 NG REC-----	92.01
*141 12 FD1 NG REC 50 REC B&I-----	92.813
*143 12 NWS-----	93.95
145 12 FD1 NWS-----	97.29

146 12 FD1 WWS-----	93.01
*150 12 FD2-----	86.32
151 12 FD2 50 REC-----	90.32
*152 12 FD2 50 REC SAN-----	90.32
155 12 FD3-----	89.50
157 12 FD3 50 REC-----	93.50
160 12 FD3 NWS-----	98.78
*165 FH 12 FD1-----	101.91
*166 FH 12 FD1 50 REC-----	105.91
*170 FH 12 FD2-----	100.22
*171 FH 12 FD2 50 REC-----	104.22
*175 FH 12 FD2 SAN-----	100.22
176 FH 12 FD2 SAN 50 REC-----	104.22
177 T12 FD1 B&I-----	100.06
*178 T12 FD1 B&I 50 REC-----	104.06
*179 T12 FD2-----	101.30
180 T12-----	99.65
181 T12 FD1-----	102.99
*182 T12 FD1 50 REC-----	106.99
183 T12 FD1 NG REC-----	106.99
184 T12 FD2 50 REC-----	105.30
*185 W12-----	94.17
*186 W12 FD2-----	95.82
*190 W12 FD2 B&I-----	94.29
*195 14-----	89.37
200 14 FD1-----	92.71
*201 14 FD1 CAS-----	92.71
*205 14 FD3-----	94.20
210 14 FD4-----	90.37
212 14 FD4 CCWCD-----	91.37
215 14 FD4 SAS-----	93.87
*217 14 FD4 SAS CCWCD-----	94.87
*220 14 FD4 SAS B&I WATER-----	91.47
*222 14 HD-----	89.51
*225 14 SWD-----	101.37
*227 14 SWD HD-----	101.51
*230 14C-----	87.76
*235 14C FD4-----	88.76
237 14C FD4 CCWCD-----	89.76
*240 14C FD4 HW-----	108.76
*242 14C FD4 HW CCWCD-----	109.76
*244 CC14-----	98.37
245 CC14 FD4-----	99.37

250 CC14 FD4 SAS-----	102.87
*255 CC14 FD4 SAS B&I WATER-----	100.47
*259 26-----	61.67
260 26 ARLD-----	63.07
261 26 ARLD FD9-----	65.07
262 26 ARLD NKBWD-----	63.57
263 26 ARLD FD9 NKBWD-----	65.57
265 27-----	70.37
*267 27 CCWCD-----	71.37
270 27 FD1-----	73.71
*273 27 HW-----	90.37
*275 27 FD4-----	71.37
277 27 FD4 CCWCD-----	72.37
*280 27 FD4 HW-----	91.37
282 27 FD4 HW CCWCD-----	92.37
285 27 FD5-----	71.62
290 27 FD6-----	71.62
292 27 FD6 CCWCD-----	72.62
295 27 FD6 HAS-----	71.62
300 27 FD7-----	72.37
305 27B-----	66.77
*310 27B FD5-----	68.02
315 B27-----	85.37
317 B27 CCWCD-----	86.37
320 B27 GI #1-----	91.37
325 B27 GI #2-----	91.37
*326 B27 FD6 CCWCD-----	87.62
*327 28 HD-----	71.17
*330 28C-----	64.73
*332 28C HD-----	64.87
335 28D-----	64.73
337 28D HD-----	64.87
340 28E HD-----	64.87
345 28E SWD HD-----	76.87
350 28F HD-----	69.87
*355 28F SWD HD-----	81.87
360 A28 HD-----	82.67
365 A28B HD-----	79.57
370 A28E HD-----	76.37
*375 A28E SWD HD-----	88.37
*377 29A-----	56.47
*379 29A SAN-----	61.47
380 29A FD7-----	58.47

1967 LEVY DISTRICTS CONTD.

381	29A FD7 NKBWD-----	58.97
*385	29A SAN FD7-----	63.47
*387	29B-----	50.97
390	29B FD7-----	52.97
*391	29B HD-----	51.11
393	29B FD7 HD-----	53.11
*394	BEN 29A FD7-----	69.97
395	BEN 29A SAN FD7-----	74.97
*397	BEN 29A SAN-----	72.97
*399	31A-----	60.17
*400	31A FD8-----	61.17
401	31A FD8 NKBWD-----	61.67
*403	31A STBG S-----	71.17
*405	31A STBG S FD8-----	72.17
406	31A STBG S FD8 NKBWD-----	72.67
*410	31B-----	56.47
411	31B NKBWD-----	56.97
415	31B FD5-----	57.72
416	31B FD5 NKBWD-----	58.22
420	31B FD7-----	58.47
421	31B NKBWD-----	56.97
*425	31B FD8-----	57.47
426	31B FD8 NKBWD-----	57.97
*427	31B FD9 NKBWD-----	58.97
430	32-----	50.77
*435	32 FD8-----	51.77
436	32 FD9-----	52.77
437	32 FD9 NKBWD-----	53.27
*438	32 FD8 NKBWD-----	52.27
*440	50-----	86.62
*441	50 REC-----	90.62
*445	50 FD1-----	89.96
*450	50 FD1 REC-----	93.96
455	50 FD2-----	88.27
*457	50 FD2 N GATE W-----	103.27
*460	50 FD2 BM-----	94.27
*462	50 FD2 BM N GATE W-----	109.27

*465	50 FD2 BWS-----	92.27
470	50 FD2 REC-----	92.27
475	50 FD2 BM REC-----	98.27
480	50 FD2 REC BWS-----	96.27
481	50 FD2 REC BWS NL-----	105.27
485	50 FD2 REC NL-----	101.27
*486	50 FD2 REC NP-----	102.27
*487	50 FD3-----	91.45
*488	50 FD3 NP-----	101.45
490	50 FD3 REC-----	95.45
491	50 FD3 REC NP-----	105.45
495	50 FD3 BM REC-----	101.45
*496	50 FD3 BM REC NP-----	111.45
*533	ARV 50 FD2-----	102.27
*534	ARV 50 FD2 BWS-----	106.27
535	ARV 50 FD2 REC-----	106.27
540	ARV 50 FD2 REC BWS-----	110.27
*544	FH 50-----	100.52
*545	FH 50 FD1-----	103.86
*547	FH 50 SAN-----	100.52
550	FH 50 REC SAN-----	104.52
*552	W50-----	96.12
555	W50 REC-----	100.12
560	W50 GI REC-----	109.72
565	W50 FD1 REC-----	103.46
*566	W50 FD2 REC-----	101.77
*567	W50 FD2 B&I-----	96.24
570	W50 REC FD2 B&I-----	100.24
*571	W50 BM SEWER FD2 B&I-----	97.24
575	W50 BM SEWER REC FD2 B&I-----	101.24
*580	RE50 MCC-----	69.98
581	RE50 FD9 NKBWD MCC-----	72.48
582	RE50 NKBWD MCC-----	70.48
600	MISCELLANEOUS-----	
605	CORPORATIONS-----	
	MOFFAT TUNNEL-----	.40
	PREDATORY ANIMAL-----	40.00

* FILED IN MISCELLANEOUS

NEW DISTRICTS - 1967

BYERS FIRE PROTECTION DISTRICT (FD9)

AMES JUNIOR COLLEGE DISTRICT (AC)

EASTLAKE WATER AND SANITATION DISTRICT (EWS)

MORGAN COUNTY COMMUNITY COLLEGE DISTRICT (MCC)

NORTH KIOWA BIJOU GROUND WATER MANAGEMENT DISTRICT (NKBWD)

		1968 LEVY DISTRICTS	REVISED	
**005 1		80.460		
**006 1	NP	90.460		
**010 1	SAS B&I WATER	81.560		
**015 1	SAS B&I WATER NWS	90.840		
**020 1	FD2	82.110		
**021 1	FD2 NP	92.110		
025 1	FD2 BM	88.110		
**030 1	FD2 BWS	86.110		
035 1	FD3	85.290		
037 1	FD3 NL	94.290		
038 1	FD3 NP	95.290		
040 1	FD3 NWS	94.570		
**045 1	FD3 SAS B&I WATER	86.390		
055 1	FD3 SAS B&I WATER NWS	95.670		
**060 1	NWS	89.740		
**065 1A		80.300		
**070 1A	FD1	84.040		
075 1A	FD3	85.130		
080 1A	FD3 BM	91.130		
081 1A	FD3 NP	95.130		
**082 1A	FD3 NP BM	101.130		
085 1A	FD3 NWS	94.410		
**087 1B		83.850		
090 1B	FD1	87.590		
095 T	1A	95.280		
**100 T	1A FD1	99.020		
105 T	1A FD1 B&I	95.700		
**106 T	1A FD3	100.110		
110 T	1B	98.830		
115 T	1B FD1	102.570		
116 T	1B FD1 B&I	99.250		
**117 RE3	AC	63.530		
120 RE3	FD5 AC	64.530		
125 RE3	FD7 AC	65.530		
**130 12		87.042		
135 12	FD1	90.782		
136 12	FD1 50 REC	94.782		
137 12	FD1 CAS	90.782		
138 12	FD1 EWS	95.782		
140 12	FD1 NG REC	94.782		
141 12	FD1 NG REC 50 REC B&I	95.582		
**143 12	NWS	96.322		
**145 12	FD1 NWS	100.062		
146 12	FD1 WWS	100.782		
*150 12	FD2	88.692		
151 12	FD2 50 REC	92.692		
*152 12	FD2 50 REC SAN	92.692		
155 12	FD3	91.872		
157 12	FD3 50 REC	95.872		
160 12	FD3 NWS	101.152		
*165 FH	12 FD1	104.682		
*166 FH	12 FD1 50 REC	108.682		
167 FH	12 FD1 50 REC SAN	108.682		
*170 FH	12 FD2	102.592		
*171 FH	12 FD2 50 REC	106.592		
*175 FH	12 FD2 SAN	102.592		
176 FH	12 FD2 SAN 50 REC	106.592		
177 T12	FD1 B&I	102.442		
*178 T12	FD1 B&I 50 REC	106.442		
*179 T12	FD2	103.672		
180 T12		102.022		
181 T12	FD1	105.762		
*182 T12	FD1 50 REC	109.762		
*183 T12	FD1 NG REC	109.762		
184 T12	FD2 50 REC	107.672		
*185 W12		96.542		
*186 W12	FD2	98.192		
187 T12	FD1 NWS	115.042		
*188 T12	FD3	106.852		
189 T12	FD3 NWS	116.132		
*190 W12	FD2 B&I	96.652		
*195 14		91.110		
200 14	FD1	94.850		
*201 14	FD1 CAS	94.850		
*205 14	FD3	95.940		
210 14	FD4	92.110		
212 14	FD4 CCWCD	93.110		
215 14	FD4 SAS	95.610		
*217 14	FD4 SAS CCWCD	96.610		
*220 14	FD4 SAS B&I WATER	93.210		
*222 14	HD	91.110		
*225 14	SWD	103.110		
*227 14	SWD HD	103.110		
*230 14C		89.500		
*235 14C	FD4	90.500		
237 14C	FD4 CCWCD	91.500		
*240 14C	FD4 HW	110.500		
*242 14C	FD4 HW CCWCD	111.500		
*244 CC14		100.110		
245 CC14	FD4	101.110		
250 CC14	FD4 SAS	104.610		
*255 CC14	FD4 SAS B&I WATER	102.210		
*259 26		52.750		
260 26	ARLD	54.150		
261 26	ARLD FD9	56.150		
*262 26	ARLD NKBWD	54.650		
263 26	ARLD FD9 NKBWD	56.650		
264 26	ARLD FD10	56.150		
265 26	ARLD NKBWD FD10	56.650		
266 27		77.570		
*267 27	CCWCD	78.570		
270 27	FD1	81.310		
*273 27	HW	97.570		
*275 27	FD4	78.570		
277 27	FD4 CCWCD	79.570		
*280 27	FD4 HW	98.570		
282 27	FD4 HW CCWCD	99.570		
285 27	FD5	78.570		
290 27	FD6	78.820		
292 27	FD6 CCWCD	79.820		
295 27	FD6 HAS	78.820		
300 27	FD7	79.570		
305 27B		74.870		
*310 27B	FD5	75.870		
315 B27		92.570		
317 B27	CCWCD	93.570		
320 B27	GI #1	98.570		
325 B27	GI #2	96.570		
*326 B27	FD6 CCWCD	94.820		
*327 28		74.310		
*330 28C		68.010		
335 28D		68.010		
340 28E		68.010		
345 28E	SWD	80.010		
350 28F		73.010		
*355 28F	SWD	85.010		
360 A28		88.810		
365 A28B		85.710		
370 A28E		82.510		

NEW DISTRICTS - 1968

** 375 A28E SWD	94.510
** 377 29A	54.550
** 379 29A SAN	59.550
380 29A FD7	56.550
381 29A FD7 NKBWD	57.050
** 385 29A SAN FD7	61.550
** 387 29B	51.550
390 29B FD7	53.550
** 394 BEN 29A FD7	68.050
395 BEN 29A SAN FD7	73.050
** 397 BEN 29A SAN	71.050
** 399 31A	62.150
** 400 31A FD8	63.150
401 31A FD8 NKBWD	63.650
** 403 31A STBG S	73.150
** 405 31A STBGS FD8	74.150
406 31A STBG S FD8 NKBWD	74.650
** 410 31B	58.450
411 31B NKBWD	58.950
415 31B FD5	59.450
416 31B FD5 NKBWD	59.950
420 31B FD7	60.450
421 31B NKBWD	58.950
** 425 31B FD8	59.450
426 31B FD8 NKBWD	59.950
** 427 31B FD9 NKBWD	60.950
430 32	51.650
** 431 32 FD10	53.650
** 435 32 FD8	52.650
436 32 FD9	53.650
1437 32 FD9 NKBWD	54.150
** 438 32 FD8 NKBWD	53.150
** 440 50	90.712
** 441 50 REC	94.712
** 445 50 FD1	94.452
** 450 50 FD1 REC	98.452
455 50 FD2	92.362
** 457 50 FD2 N GATE W	106.062
** 460 50 FD2 BM	98.362
** 462 50 FD2 BM N GATE W	112.062
** 465 50 FD2 BWS	96.362
470 50 FD2 REC	96.362
472 50 FD2 REC SHW	96.362

475 50 FD2 BM REC	102.362
480 50 FD2 REC BWS	100.362
* 481 50 FD2 REC BWS NL	109.362
485 50 FD2 REC NL	105.362
* 486 50 FD2 REC NP	106.362
* 487 50 FD3	95.542
* 488 50 FD3 NP	105.542
* 489 50 FD3 NP BM	111.542
490 50 FD3 REC	99.542
491 50 FD3 REC NP	109.542
* 493 50 FD3 BM	101.542
495 50 FD3 BM REC	105.542
* 496 50 FD3 BM REC NP	115.542
* 533 ARV 50 FD2	106.362
* 534 ARV 50 FD2 BWS	110.362
535 ARV 50 FD2 REC	110.362
540 ARV 50 FD2 REC BWS	114.362
* 544 FH 50	104.612
* 545 FH 50 FD1	108.352
* 547 FH 50 SAN	104.612
550 FH 50 REC SAN	108.612
* 552 W50	100.212
555 W50 REC	104.212
560 W50 GI REC	113.712
565 W50 FD1 REC	107.952
* 566 W50 FD2 REC	105.862
* 567 W50 FD2 B&I	100.322
570 W50 REC FD2 B&I	104.322
* 571 W50 BM SEWER FD2 B&I	101.322
575 W50 BM SEWER REC FD2 B&I	105.322
* 580 RE50	68.650
581 RE50 FD9 NKBWD	71.150
582 RE50 NKBWD	69.150
600 MISCELLANEOUS	
603 OIL AND GAS PRODUCTION	
605 CORPORATIONS	
MOFFAT TUNNEL	.400
PREDATORY ANIMAL	40.000

* FILED IN MISCELLANEOUS

DEERTRAIL RURAL FIRE PROTECTION DISTRICT

FD10

SHAW HEIGHTS WATER DISTRICT

SHW

DISTRICTS DISSOLVED:

AURORA HOSPITAL DISTRICT

HD

MORGAN COUNTY COMMUNITY COLLEGE DISTRICT

MCC

*Merson Bldg - Real Mach 5th fl**3 doors Club - Debbie Lovell Dray*

1969 LEVY DISTRICTS

*005	1		81.46
*006	1	NP	91.46
*010	1	SAS B&I WATER	82.56
*015	1	SAS B&I WATER NWS	91.55
*020	1	FD2	83.46
*021	1	FD2 NP	93.46
025	1	FD2 BM	89.46
*030	1	FD2 BWS	87.46
035	1	FD3	86.29
037	1	FD3 NL	95.29
038	1	FD3 NP	96.29
040	1	FD3 NWS	95.28
*045	1	FD3 SAS B&I WATER	87.39
055	1	FD3 SAS B&I WATER NWS	96.38
*060	1	NWS	90.45
*065	1A		81.28
*070	1A	FD1	85.33
075	1A	FD3	86.11
080	1A	FD3 BM	92.11
081	1A	FD3 NP	96.11
*082	1A	FD3 NP BM	102.11
085	1A	FD3 NWS	95.10
*087	1B		84.66
090	1B	FD1	88.71
095	T	1A	94.26
*100	T	1A FD1	98.31
105	T	1A FD1 B&I	94.63
*106	T	1A FD3	99.09
110	T	1B	97.64
115	T	1B FD1	101.69
116	T	1B FD1 B&I	98.01
*117	RE3	AC	59.32
120	RE3	FD5 AC	60.57
125	RE3	FD7 AC	61.32
*130	12		88.00
*131	NG	12	93.18
*134	NG	12 FD1	97.23
135	12	FD1	92.05
136	12	FD1 50 REC	96.05
137	12	FD1 CAS	92.05
138	12	FD1 EWS	99.05
139	12	FD1 NG REC	96.05

140	NG	12	FD1 NG REC	101.23
141	12		FD1 NG REC 50 REC B&I	96.85
*143	12		NWS	96.99
*145	12		FD1 NWS	101.04
146	12		FD1 WWS	102.05
*150	12		FD2	90.00
151	12		FD2 50 REC	94.00
*152	12		FD2 50 REC SAN	94.00
155	12		FD3	92.83
157	12		FD3 50 REC	96.83
160	12		FD3 NWS	101.82
*165	FH	12	FD1	105.95
*166	FH	12	FD1 50 REC	109.95
*167	FH	12	FD1 50 REC SAN	109.95
*170	FH	12	FD2	103.90
171	FH	12	FD2 50 REC	107.90
*175	FH	12	FD2 SAN	103.90
176	FH	12	FD2 SAN 50 REC	107.90
177	T12		FD1 B&I	101.35
*178	T12		FD1 B&I 50 REC	105.35
*179	T12		FD2	102.98
180	T12			100.98
181	T12		FD1	105.03
*182	T12		FD1 50 REC	109.03
183	T12		FD1 NG REC	109.03
184	T12		FD2 50 REC	106.98
*185	W12			97.50
*186	W12		FD2	99.50
187	T12		FD1 NWS	114.02
*188	T12		FD3	105.81
189	T12		FD3 NWS	114.80
*190	W12		FD2 B&I	97.50
*191	W12		FD1 50 REC	105.55
*195	14			92.11
200	14		FD1	96.16
*201	14		CAS	96.16
*205	14		FD3	96.94
210	14		FD4	93.36
212	14		FD4 CCWCD	94.36
215	14		FD4 SAS	96.86
*217	14		FD4 SAS CCWCD	97.86
*220	14		FD4 SAS B&I WATER	94.46
*225	14		SWD	100.11
*230	14C			90.25
*235	14C		FD4	91.50
237	14C		FD4 CCWCD	92.50
*240	14C		FD4 HW	111.50
*242	14C		FD4 HW CCWCD	112.50
*244	CC14			102.11
245	CC14		FD4	103.36
250	CC14		FD4 SAS	106.86
*255	CC14		FD4 SAS B&I WATER	104.46
*259	26			56.63
260	26		ARLD	58.03
261	26		ARLD FD9	60.03
*262	26		ARLD NKBWD	58.53
263	26		ARLD FD9 NKBWD	60.53
264	26		ARLD FD10	59.03
265	26		ARLD NKBWD FD10	59.53
266	27			78.57
*267	27		CCWCD	79.57
270	27		FD1	82.62
*273	27		HW	98.57
*275	27		FD4	79.82
277	27		FD4 CCWCD	80.82
*280	27		FD4 HW	99.82
282	27		FD4 HW CCWCD	100.82
285	27		FD5	79.82
289	27		FD6	79.82
290	27		FD6 UDFCD	79.82
292	27		FD6 CCWCD	80.82
295	27		FD6 HAS	79.82
300	27		FD7	80.57
305	27B			75.87
*310	27B		FD5	77.12
315	B27			94.27
317	B27		CCWCD	95.27
320	B27		GI #1	99.27
325	B27		GI #2	97.27
*326	B27		FD6 CCWCD	96.52
*327	28			82.96
*330	28C			79.06
334	28D			79.06
335	28D		UDFCD	79.06
340	28E			79.06
345	28E		SWD	87.06

350	28F		84.06
355	28F SWD		92.06
360	A28		97.46
365	A28B		96.01
370	A28E		93.56
375	A28E SWD		101.56
377	29A		56.00
378	29A NKBWD		56.50
379	29A SAN		61.00
380	29A FD7		58.00
381	29A FD7 NKBWD		58.50
385	29A SAN FD7		63.00
387	29B		54.00
390	29B FD7		56.00
394	BEN 29A FD7		69.50
395	BEN 29A SAN FD7		74.50
397	BEN 29A SAN		72.50
399	31A		63.10
400	31A FD8		64.10
401	31A FD8 NKBWD		64.60
402	31A NKBWD		63.60
403	31A STBG S		74.10
405	31A STBGS FD8		75.10
406	31A STBG S FD8 NKBWD		75.60
410	31B		59.10
411	31B NKBWD		59.60
415	31B FD5		60.35
416	31B FD5 NKBWD		60.85
420	31B FD7		61.10
421	31B NKBWD		59.60
425	31B FD8		60.10
426	31B FD8 NKBWD		60.60
427	31B FD9 NKBWD		61.60
430	32		53.44
431	32 FD10		54.44
435	32 FD8		54.44
436	32 FD9		55.44
437	32 FD9 NKBWD		55.94
438	32 FD8 NKBWD		54.94
440	50		91.712
441	50 REC		95.712
445	50 FD1		95.762
446	50 FD1 NL		104.762

450	50	FD1 REC	99.762
455	50	FD2	93.712
*457	50	FD2 N GATE W	106.182
*460	50	FD2 BM	99.712
*462	50	FD2 BM N GATE W	112.182
*465	50	FD2 BWS	97.712
470	50	FD2 REC	97.712
472	50	FD2 REC SHW	97.712
475	50	FD2 BM REC	103.712
480	50	FD2 REC BWS	101.712
*481	50	FD2 REC BWS NL	110.712
485	50	FD2 REC NL	106.712
*486	50	FD2 REC NP	107.712
*487	50	FD3	96.542
*488	50	FD3 NP	106.542
*489	50	FD3 NP BM	112.542
490	50	FD3 REC	100.542
491	50	FD3 REC NP	110.542
*493	50	FD3 BM	102.542
495	50	FD3 BM REC	106.542
*496	50	FD3 BM REC NP	116.542
*533	ARV	50 FD2	103.712
*534	ARV	50 FD2 BWS	107.712
535	ARV	50 RD2 REC	107.712
540	ARV	50 FD2 REC BWS	111.712
*544	FH	50	105.612
*545	FH	50 FD1	109.662
*547	FH	50 SAN	105.612
550	FH	50 REC SAN	109.612
*552	W50		101.212
555	W50	REC	105.212
560	W50	GI REC	113.212
564	W50	REC FD1 B&I	105.582
*565	W50	FD1 REC	109.262
566	W50	FD2 REC	107.212
*567	W50	FD2 B&I	101.212
570	W50	REC FD2 B&I	105.212
*571	W50	BM SEWER FD2 B&I	102.212
575	W50	BM SEWER REC FD2 B&I	106.212
576	W50	FD2 BM REC	113.212
*577	W50	FD2 N GATE W	115.682
*578	W50	FD2 BM N GATE W	121.682
*580	RE50		65.65

581	RE50 FD9 NKBWD	68.15
582	RE50 NKBWD	66.15
600	MISCELLANEOUS	
603	OIL AND GAS PRODUCTION	
604	MINERAL RESERVES	
605	CORPORATIONS	
	MOFFAT TUNNEL	.40
	PREDATORY ANIMAL	40.00

* FILED IN MISCELLANEOUS

NEW DISTRICTS - 1969

CITY OF NORTH GLENN

NG